




CARTON SEALER


JPI-50



Side & Top Belts Driven Carton Sealer

- ✓ Manually adjust the height and the width for sealing different sizes of cartons.
- ✓ Top / side belt driven
- ✓ Cutter Safety System to prevent accidents
- ✓ Cs4001: better for heavy cartons sealing

JPI-56



Top & Bottom Belts Driven Carton Sealer

- ✓ Top & bottom sealing
- ✓ Steel/Stainless steel type available
- ✓ Cs4002: better for tall cartons sealing

Technical Specifications:

	JPI-50	JPI-56	JPI-6602	JPI-6603
Conveyor Speed	0-20m/min	0-20m/min	20m/min	20m/min
Max. Packing Size (LxWxH) (in mm)	unlimited x 500 x 500	unlimited x 500 x 500	unlimited x 500 x 500	unlimited x 500 x 500
Min. Packing Size (LxWxH) (in mm)	150 x 150 x 120	150 x 180 x 110	150 x 155 x 110	150 x 110 x 110
Power Supply	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz
Applicable Tape	48 / 60 / 75 mm	48 / 60 / 75 mm	2 / 3 inch	2 / 3 inch
Machine Size (LxWxH) (in mm)	1020 x 900 x 1350	1020 x 850 x 1450	1105 x 785 x 1420	1250 x 960 x 1420

JPI-6602



Carton Sealer - Top & Bottom Drive

- ✓ Cs4003: Top and bottom motor drive
- ✓ Side auxiliary device to fix the carton position
- ✓ Suitable for various sizes / types of cartons

JPI-6603



Carton Sealer - Top & Side Drive

- ✓ Top and Side driven belts for packing heavy products
- ✓ Manually adjustable width
- ✓ Manually adjustable carton size

JPI-6601



Carton Sealer

- ✓ Motor driven belt at both sides, suitable for narrow carton
- ✓ Adjustable table height
- ✓ Automatically adjusts uneven cartons through upper tapping head

JPI-6603A



Auto Carton Sealer - Side Drive

- ✓ Side drive device to automatically fix carton position
- ✓ Top and side drive belts, suitable for heavy products
- ✓ Adjustable working table height
- ✓ Also available for automatic production line

Technical Specifications:

	JPI-6601	JPI-6603A	JPI-6603A	JPI-6605S
Conveyor Speed	20m/min	20m/min	0-20m/min	0-20m/min
Max. Packing Size (LxWxH) (in mm)	unlimited x 500 x 500	unlimited x 500 x 500	unlimited x 500 x 500	550 x 500 x 500
Min. Packing Size (LxWxH) (in mm)	150 x 135 x 110	150 x 130 x 120	150 x 130 x 120	150 x 130 x 120
Power Supply	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz
Air Compressor	~	6 Kg/cm ²	6 Kg/cm ²	6 Kg/cm ²
Applicable Tape	2 / 3 inch	2 / 3 inch	2 / 3 inch	2 / 3 inch
Machine Size (LxWxH) (in mm)	1250 x 960 x 1420	1250 x 910 x 1315	1250 x 910 x 1315	1900 x 960 x 1600

JPI-6603B



Auto Carton Sealer

- ✓ Side drive device to automatically fix carton position
- ✓ Top and side drive belts, suitable for heavy products
- ✓ Adjustable table height

JPI-6605S



Carton Folding Sealer

- ✓ Automatic pneumatic system to adjust carton width & height
- ✓ Automatic folding & sealing of top flaps of carton
- ✓ Suitable for using with the automation packaging system

JPI-6702



Semi-auto Carton Edge Sealer

- ✓ Crank handle to adjust carton height and width
- ✓ Suitable for few carton sizes production line

JPI-6702A



Full Auto Carton Edge Sealer

- ✓ Automatic pneumatic device to adjust width & height of carton
- ✓ Auto sealing of top and bottom carton edges
- ✓ Suitable for production line handling different sizes of carton

Technical Specifications:

	JPI-6702	JPI-6702A	JPI-6801	JPI-50A
Conveyor Speed	20m/min	20m/min	20m/min	6 ctns/min
Max. Packing Size (LxWxH) (in mm)	700 x 600 x 600	630 x 520 x 600	770 x 520 x 600	600 x 500 x 500
Min. Packing Size (LxWxH) (in mm)	260 x 200 x 200	280 x 220 x 225	250 x 220 x 230	200 x 150 x 150
Power Supply	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1 Ph. 110V, 220V / 50-60Hz	1/3 Ph. 220/380V
Air Compressor	6 Kg/cm ²	6 Kg/cm ²	6 Kg/cm ²	6 Kg/cm ²
Applicable Tape	2 / 3 inch	2 / 3 inch	2 / 3 inch	48 / 60 / 75 mm
Machine Size (LxWxH) (in mm)	2100 x 1470 x 1500	2100 x 1450 x 1500	3700 x 1750 x 1915	1620 x 1420 x 1550

JPI-6801



Automatic Carton Erector Horizontal Type

JPI-50A



Automatic Carton Sealing & Strapping Machine

JOY PACK INDIA PVT. LTD.
46, Suvidha Kunj, Pitam Pura
New Delhi - 110034 INDIA



Phone: +91 9810023485 / 9312235318
Fax: +91 11 4750 2936
Email: info@joypackindia.com